



STFATE Runs for Ward Point Bend and Seguine Point Bend Dredged Material Disposal at HARS for CENAN

ERDC Dredging Operations Technical Support Program (DOTS)

U.S. ARMY CORPS OF ENGINEERS

BUILDING STRONG®

Response Summary:

Performed STFATE model runs of open water disposal of Ward Point Bend reach and Seguine Point Bend reach dredged materials at the HARS. Analyzed the standard elutriate test results for the contaminant of concern. Analyzed the water column toxicity results to determine the dilution required for the limiting permissible concentration. Summarized the disposal boundary offset values as a function of barge size (3500 and 6000 cubic yards) in a table documenting the results of the review and modeling.

Period of Performance:

Start date: 1 August 2022 Completion Date: 8 August 2022

Benefits of the Response to the USACE Dredging/Navigation Program:

The modeling and analysis provided the technical documentation to demonstrate water column compliance with MPRSA 103 requirements.

Deliverable:

The technical response to the New York District included STFATE model input and output files, spreadsheet for calculating dilution requirements and materials volumetric fractions, and a table of required placement offsets from the disposal site boundaries.



Providing environmental and engineering technical support to the U.S. Army Corps of Engineers Operations and Maintenance navigation and dredging missions

Paul R. Schroeder, PhD, PE
Environmental Laboratory • Paul.R.Schroeder@usace.army.mil

DOTS ID: DOTS-22-R21